

MILD STEEL SEAMLESS PIPES

Remarkable Blend of Precision, Performance & Durability.

The seamless construction eliminates leaks and weak points, delivering a smooth and uninterrupted flow of fluids or gases. Its adherence to strict industry standards guarantees precise dimensions, enabling effortless integration and reducing labour costs during installation.

Whether for industrial complexes, residential systems, or specialized applications like oil and gas pipelines or HVAC systems, this pipe's versatility meets every demand.

We offer a wide range of sizes to cater to diverse project requirements.

Expect competitively priced products without compromising on quality. Customer Satisfaction is our top quality, from product selection to after-sales support, we strive to deliver exceptional customer service & build lasting relationships.

Product Name: SEAMLESS PIPES

Category: Mild Steel

Shape: Circular

Surface: Mill Finish

Colour: Black/ Dark Gray

Minimum Order Quantity: 01 Metric Tonne



HSN CODE: 7304

Payment Terms: NEFT / RTGS / IMPS

Delivery Time: Usually 1-2 Business Days for Intra State, Exact duration depends on specific location

Main Domestic Market: Pan India

Make:

- IMPORTED (CHINESE)
- MSL (INDIAN)



Grades Available:

- ASTM 106 Gr. B
- ASTM A53 Gr. B

(Both IBR & Non IBR approved available)

Size Available:

- 6mm NB x 1.24mm thk
To
- 500mm NB x 26.19mm thk

Length:

4-7 meters



MSL SEAMLESS PIPES

SIZE		SCHEDULE	WALL THICKNESS	NOMINAL WEIGHT
Nominal Bore	Outer Diameter		mm	Kg/m
6 mm or 1/4"	10.3 mm	10	1.24	0.28
		30	1.45	0.32
		40	1.73	0.37
		80	2.41	0.47
8 mm or 1/3"	13.7 mm	10	1.65	0.49
		30	1.85	0.54
		40	2.24	0.63
		80	3.02	0.80
10 mm or 3/8"	17.1 mm	10	1.65	0.63
		30	1.85	0.70
		40	2.31	0.84
		80	3.20	1.10
15 mm or 1/2"	21.3 mm	10	2.11	1.00
		30	2.41	1.12
		40	2.77	1.27
		80	3.73	1.62
		160	4.78	1.95

MSL SEAMLESS PIPES

SIZE		SCHEDULE	WALL THICKNESS	NOMINAL WEIGHT
Nominal Bore	Outer Diameter		mm	Kg/m
20 mm or 3/4"	26.7 mm	10	2.11	1.28
		30	2.41	1.44
		40	2.87	1.69
		80	3.91	2.20
		160	5.56	2.90
25 mm or 1"	33.4 mm	10	2.77	2.09
		30	2.90	2.18
		40	3.38	2.50
		80	4.55	3.24
		160	6.35	4.24
32 mm or 1 1/4"	42.2 mm	30	2.97	2.87
		40	3.56	3.39
		80	4.85	4.47
		160	6.35	5.61
40 mm or 1 1/2"	48.3 mm	30	3.18	3.53
		40	3.68	4.05
		80	5.08	5.41
		160	7.14	7.25

MSL SEAMLESS PIPES

SIZE		SCHEDULE	WALL THICKNESS	NOMINAL WEIGHT
Nominal Bore	Outer Diameter		mm	Kg/m
50 mm or 2"	60.3 mm	30	3.18	4.48
		40	3.91	5.44
		80	5.54	7.48
		160	8.74	11.11
65 mm or 2 1/2"	73.0 mm	30	4.78	8.04
		40	5.16	8.63
		80	7.01	11.41
		160	9.53	14.92
80 mm or 3"	88.9 mm	30	4.78	9.92
		40	5.49	11.29
		80	7.62	15.27
		160	11.13	21.35
90 mm or 3 1/2"	101.6 mm	30	4.78	11.41
		40	5.74	13.57
		80	8.08	18.64
100 mm or 4"	114.3 mm	40	6.02	16.08
		80	8.56	22.32
		160	13.49	33.54

MSL SEAMLESS PIPES

SIZE		SCHEDULE	WALL THICKNESS	NOMINAL WEIGHT
Nominal Bore	Outer Diameter		mm	Kg/m
125 mm or 5"	141.3 mm	40	6.55	21.77
		80	9.53	30.97
		160	15.88	49.12
150 mm or 6"	168.3 mm	40	7.11	28.26
		80	10.97	42.56
		160	18.26	67.57
200 mm or 8"	219.1 mm	40	8.18	42.55
		60	10.31	53.09
		80	12.70	64.64
		160	23.01	111.27
250 mm or 10"	273.0 mm	40	9.27	60.29
		60	12.70	81.53
		80	15.09	95.98
		160	28.58	172.27
300 mm or 12"	323.8 mm	40	10.31	79.71
		60	14.27	108.93
		80	17.48	132.05
		160	33.32	238.69

MSL SEAMLESS PIPES

SIZE		SCHEDULE	WALL THICKNESS	NOMINAL WEIGHT
Nominal Bore	Outer Diameter		mm	Kg/m
350 mm or 14"	355.6 mm	40	11.13	94.55
		60	15.09	126.72
		80	19.05	158.11
		160	35.71	281.72
400 mm or 16"	406.4 mm	40	12.70	123.31
		60	16.66	160.12
		80	21.44	203.54
450 mm or 18"	457.0 mm	40	14.27	155.81
		60	19.05	205.75
		80	23.83	254.57
500 mm or 20"	508.0 mm	40	15.09	183.43
		60	20.62	247.84
		80	26.19	311.19



IMPORTED SEAMLESS PIPES

SIZE		SCHEDULE	WALL THICKNESS	NOMINAL WEIGHT
Nominal Bore	Outer Diameter		mm	Kg/m
6 mm or 1/4"	10.3 mm	40	1.70	0.36
		80	2.40	0.47
8 mm or 1/3"	13.7 mm	40	2.24	0.63
		80	3.02	0.80
10 mm or 3/8"	17.1 mm	40	2.31	0.84
		80	3.20	1.10
15 mm or 1/2"	21.3 mm	40	2.77	1.27
		80	3.73	1.62
20 mm or 3/4"	26.7 mm	40	2.87	1.69
		80	3.91	2.20
		160	5.56	2.89
25 mm or 1"	33.4 mm	40	3.38	2.50
		80	4.55	3.23
		160	6.35	4.23
32 mm or 1 1/4"	42.2 mm	40	3.56	3.38
		80	4.85	4.47
		160	6.35	5.60

IMPORTED SEAMLESS PIPES

SIZE		SCHEDULE	WALL THICKNESS	NOMINAL WEIGHT
Nominal Bore	Outer Diameter		mm	Kg/m
40 mm or 1 1/2"	48.3 mm	40	3.68	4.05
		80	5.08	5.41
		160	7.14	7.25
50 mm or 2"	60.3 mm	40	3.91	5.44
		80	5.54	7.48
		160	8.74	11.11
65 mm or 2 1/2"	73.0 mm	40	5.16	8.63
		80	7.01	11.41
		160	9.53	14.92
80 mm or 3"	88.9 mm	40	5.49	11.29
		80	7.62	15.27
		160	11.13	21.35
90 mm or 3 1/2"	101.6 mm	40	5.74	13.57
		80	8.08	18.64
100 mm or 4"	114.3 mm	40	6.02	16.08
		80	8.56	22.32
		120	11.13	28.30
		160	13.49	33.54

IMPORTED SEAMLESS PIPES

SIZE		SCHEDULE	WALL THICKNESS	NOMINAL WEIGHT
Nominal Bore	Outer Diameter		mm	Kg/m
125 mm or 5"	141.3 mm	40	6.55	21.77
		80	9.53	30.97
		120	12.70	40.28
		160	15.88	49.12
150 mm or 6"	168.3 mm	40	7.11	28.26
		80	10.97	42.56
		120	14.27	54.20
		160	18.26	67.57
200 mm or 8"	219.1 mm	40	8.18	42.55
		60	10.31	53.09
		80	12.70	64.64
		120	15.09	75.79
		160	23.01	111.27
250 mm or 10"	273.0 mm	40	9.27	60.29
		60	12.70	81.53
		80	15.09	95.98
		120	21.44	133.00
		160	28.58	172.27

IMPORTED SEAMLESS PIPES

SIZE		SCHEDULE	WALL THICKNESS	NOMINAL WEIGHT
Nominal Bore	Outer Diameter		mm	Kg/m
300 mm or 12"	323.8 mm	30	8.38	65.20
		40	10.31	79.71
		60	14.27	108.93
		80	17.48	132.05
		120	25.40	186.92
		160	33.32	238.69
350 mm or 14"	355.6 mm	30	9.53	81.28
		40	11.13	94.55
		60	15.09	126.72
		80	19.05	158.11
		120	27.79	224.60
		160	35.71	281.72
400 mm or 16"	406.4 mm	30	9.53	93.21
		40	12.70	123.31
		60	16.66	160.12
		80	21.44	203.54
		120	30.96	286.62
		160	40.49	365.39

IMPORTED SEAMLESS PIPES

SIZE		SCHEDULE	WALL THICKNESS	NOMINAL WEIGHT
Nominal Bore	Outer Diameter		mm	Kg/m
450 mm or 18"	457.0 mm	30	11.13	122.36
		40	14.27	155.81
		60	19.05	205.75
		80	23.83	254.57
		120	34.96	363.65
		160	45.24	459.51
500 mm or 20"	508.0 mm	30	12.70	155.10
		40	15.09	183.43
		60	20.62	247.84
		80	26.19	311.19
		120	38.00	440.43
		160	50.00	564.70
600 mm or 24"	609.6 mm	30	15.09	209.54
		40	20.62	255.14
		60	32.50	355.02
		80	38.00	441.00
		120	50.00	639.00
		160	59.50	807.00

Applications:

- **Transporting Crude Oil, Natural Gas & Refined Petroleum Products**
- **Used in Boilers, Heat Exchangers & High Pressure Piping Systems**
- **Drilling Rigs**
- **LNG Terminals**

