

# MILD STEEL SPIRAL WELDED PIPES

Searching for a **reliable and high-quality piping solution** for your industrial or construction projects?

Look no further!

**MS Spiral Welded Pipe** is the perfect choice **that will exceed your expectations and deliver exceptional performance every step of the way.**

- **Crafted from premium-grade mild steel**
- **Designed to withstand even the harshest conditions**
- **Manufactured using state-of-the-art welding techniques, resulting in Seamless Joints**
- **Can be coated with a High-Quality Corrosion Resistant Material**
- **Requires Low Maintenance**
- **Undergoes Rigorous Quality Checks & Inspected**

**Product Name:** HSAW & LSAW Spiral Welded Pipe

**Category:** Mild Steel

**Shape:** Circular

**Surface:** Mill Finish

**Colour:** Black/ Dark Gray

**Minimum Order Quantity:** 01 Metric Tonne

**HSN CODE:** 7306

**Payment Terms:** NEFT / RTGS / IMPS

**Delivery Time:** Usually 1-2 Business Days for Intra State, Exact duration depends on specific location

**Main Domestic Market:** Pan India



## Make:

- SAIL
- JCO
- IMPORTED



## Grades Available:

- IS 3589 FE 330 / 410

## Size Available:

- 16" OD  
To
- 110" OD



## Length:

6-13 meters

## Coatings Available:

- Liquid Epoxy Coating
- Cement Mortar Lining
- Guniting (External Cement Lining)
- Coal Tar Tape Coating
- Epoxy Based Coating (Internal / External)
- External Varnish
- Red Oxide Coating



# SIZE CHART

Outer Diameter	
Inch	mm
16"	406.40
18"	457.20
20"	508.00
22"	558.80
24"	609.60
28"	711.20
30"	762.00
32"	812.80
34"	863.60
36"	914.40
38"	965.20
40"	1016.00
42"	1066.80
44"	1117.60
46"	1168.40
48"	1219.20
50"	1270.00
52"	1320.80
56"	1422.40
58"	1473.20

# SIZE CHART

Outer Diameter	
Inch	mm
60"	1524.00
62"	1574.80
64"	1625.60
66"	1676.40
68"	1727.20
70"	1778.00
72"	1828.80
74"	1879.60
76"	1930.40
78"	1981.20
80"	2032.00
84"	2133.60
88"	2235.20
90"	2286.00
94"	2387.60
98"	2489.20
100"	2540.00
104"	2641.60
110"	2794.00

# SIZE CHART

Thickness	
Size	mm
16" - 24"	5.0 to 10.0
28" - 36"	6.3 to 12.0
38" - 48"	8.0 to 14.5
50" - 64"	9.5 to 14.5
66" - 110"	10.0 to 25.0



# Applications:

- Deep Sea Oil & Gas Transportation
- Petrochemical Plants for Fluids
- Hydro Projects
- Penstock Pipes in Dams
- Drainage Systems
- Cooling Towers & condensers

